



TEST REPORT

Client	BILLA BG
Client's address	BULGARIA
Sample description	Carrots
Sampling	As stated by client: CLIENT
Date of sample receipt	04/12/2019
Date of Import	04/12/2019
Sample code	2019-77780
Type of analysis	Determination of Pesticide Residues

The results of this certificate are valid only for the analyzed samples.

This certificate can only be reproduced in whole

Partial reproduction allowed only with written consent of AGROLAB S.A.

For any information please contact the commercial department of AGROLAB S.A.

Results

Sample Code **2019-77780**
Period of Analysis **04/12/2019 - 05/12/2019**
Client's Declaration **0213020 00BBU19120303 Carrots** **conventional**
Sample condition upon receipt **Acceptable**

Calculations based on: EU MRLs & EFSA ARfDs

Active Ingredient	Result(mg/kg)	MRL (mg/kg)	ARfD (mg/kg)	VF	IESTI (mg/kg)	% Utilization MRL	% Utilization ARfD	EU MRL Source
Linuron	0,015	0,01	0,03	7	0,00095	150	3,17	Reg. (EU) 2019/58
Sum :						150	3,17	

Number of findings : 1

Consumption rate: 78,8 gr. Body weight: 8,700 kg

Calculation Model : EFSA PRIMo Vers. 3.1

1. The rest active ingredients are not determined at the reporting limit of the methods.
2. Method uncertainty (95%): ±50%
3. Information of EU MRLs and the rest data at:
<http://ec.europa.eu/food/plant/pesticides/eu-pesticides-database/public/?event=homepage&language=EN>
4. Number of findings: Number of determined active ingredients without the metabolites to be included in the counting
5. AGROLAB S.A. does not accept any responsibility for the aforementioned MRLs, ARfDs and the rest calculative data, which are given only for informational purposes, and which is to our knowledge until the adoption day of the current certificate.
6. The time of retention of the Sub-sample is one month from the date of the issuing of the present certificate, unless otherwise instructed by the client. This refers only to samples which can be kept during this period of time in appropriate conditions.

P9 QTOF Sindos Package (711 active ingredients) & Dithiocarbamates**LC-QTOF & GC-MS-MS (711 active ingredients)**

· Μέθοδος ανάλυσης / Method of analysis: «Lehotay Et.Al.: AOAC Vol.88, No.2, 2005 Modified) ». Code No. O.B.02.001, O.B.02.036.

· Τα Όρια Αναφοράς της μεθόδου είναι στο 0.01 mg/Kg (ppm) /The Reporting Limit of the method is at 0.01 mg/Kg (ppm)
· Οι παρακάτω δραστικές αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following active ingredients were analyzed with the above-mentioned methods

2-phenylphenol, 4,4 dichlorobenzophenone, 5-hydroxy-thiabendazole, Abamectin (sum of avermectin B1a, avermectin B1b and delta-8, 9 isomer of avermectin B1a, expressed as avermectin B1a), Acephate, Acetamidoprop, Acetamidoprop-N-Desmethyl, Acetochlor, Aclonifen, Acrinathrin, Alachlor, Alanycarb, Albendazole, Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb), Aldrin (Aldrin and dieldrin combined expressed as dieldrin), Allethrine (Biollethrine), Allidochlor, Ametoctradin, Ametryn, Amicarbazone, Aminocarb, Amitraz metabolite BTS 27271, Ancymidol, Anilofos, Anthraquinone, Aramite, Aspon, Asulam, Atraton, Atrazin 2 hydroxy, Atrazine, Atrazine-desethyl, Atrazine-desisopropyl, Azaconazole, Azadirachtin, Azamethiphos, Azimsulfuron, Azinphos-ethyl, Azinphos-methyl, Aziprotryne, Azoxystrobin, Barban, Beflubutamid, Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers), Benazolin-ethylester, Bendiocarb, Benfluralin, Benfuracarb, Bendodanil, Benomyl(sum of benomyl and carbendazim expressed as carbendazim), Benoxacor, Bensulfuron methyl, Bensulide, Benthiavalicarb (Benthiavalicarb-isopropyl(KIF-230 R-L) and its enantiomer (KIF-230 S-D) and its diastereomers(KIF-230 S-L and KIF-230 R-D), expressed as benthiavalicarb-isopropyl), Benzalkonium chloride BAC (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18), Benzovindiflupyr, Benzoximate, Benzoylprop ethyl, Benzthiazuron, Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate), Bifenox, Bifenthrin, Biphenyl, Bispyribac, Bitertanol, Boscalid, Brodifacoum, Bromacil, Bromadiolone, Bromfeninfos, Bifenox, Bifenthrin, Biphenyl, Bispyribac, Bitertanol, Boscalid, Brodifacoum, Bromacil, Bromadiolone, Bromfeninfos, Bromobutide, Bromocyclofen, Bromophos-ethyl, Bromophos-methyl, Bromopropylate, Bromuconazole (sum of diastereoisomers), BTS44595 Prochloraz metabolite, BTS44596 Prochloraz metabolite, Bupirimate, Buprofezin, Butachlor, Butafenacil, Butamifos, Butocarboxim, Butocarboxim sulfoxide, Butoxycarboxim, Butralin, Buturon, Cadusafos, Cambendazole, Capromamide, Captafol, Captan, Captan (Sum of captan and THPI, expressed as captan), Carbaryl, Carbendazim (sum of benomyl and carbendazim expressed as carbendazim), Carbetamide, Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran), Carbofuran 3-hydroxy, Carbofuran keto, Carbophenothion methyl, Carbophenothion, Carbosulfan, Carboxin, Chinomethionat (aka quinomethionate), Chlorantraniliprole (DPX E-2Y45), Chlorbenside, Chlorbromuron, Chlorbufam, Chloridane (sum of cis- and trans-chloridane), Chlorfenapyr, Chlorfenprop methyl, Chlorfenson, Chlorfenvinphos, Chlorfluzuron, Chloridazon, Chlormephos, Chlorobenzilate, Chlorobenzuron, Chloroneb, Chlorothalonil, Chlorotoluron, Chloroxuron, Chlorpropham, Chlorpyrifos, Chlorpyrifos-methyl, Chlorsulfuron, Chlorthal-dimethyl, Chlorthion, Chlorthiophos, Chlozolinate, Chromafenozide, Cinidon-ethyl (sum of cinidon ethyl and its E-isomer), Clethodim (sum of Sethoxydim and Clethodim including degradation products calculated as Sethoxydim), Climbazole, Clodinafop-propargyl, Clofentezine, Clomazone, Cloquintocet mexyl, Clothianidin, Coumachlor, Coumaphos, Crimidine, Crotoxyphos, Cruformate, Cyanazine, Cyanofenphos, Cyanophos, Cyantraniliprole, Cyazofamid, Cycloate, Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutamic acid S-dioxide (BH 517-5-OH-TGSO2) or methyl esters thereof, calculated in total as cycloxydim, Cycluron, Cyflufenamid (sum of cyflufenamid (Z-isomer) and its E-isomer), Cyflumetofen, Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers)), Cyhalofop-butyl, Cymiazole, Cymoxanil, Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers)), Cyprazin, Cyproconazole, Cyprodinil, Cyromazine, Cythioate, DDD-o-p, DDD-p-p, DDE-o-p, DDE-p-p, DDT (sum of p-p'-DDT, o-p'-DDT p-p'-DDE and p-p'-TDE (DDD) expressed as DDT), Cyprazin, Cyproconazole, Cyprodinil, Cyromazine, Cythioate, DDD-o-p, DDD-p-p, DDE-o-p, DDE-p-p, DDT (sum of p-p'-DDT, o-p'-DDT p-p'-DDE and p-p'-TDE (DDD) expressed as DDT), DEET(N-N-Diethyl-m-toluamid), Deltamethrin(cis-deltamethrin), Demeton-O, Demeton-S-methyl, Demeton-S-methylsulfoxide, Demeton-S-methylsulphone, Desmedipham, Desmethyl, Diafenthuron, Dialifos, Diazinon, Dichlobenil, Dichlofenthion, Dichlofluanid, Dichlormid, Dichlorobenzamide, Dichlorvos, Diclobutrazol, Dicloran, Diclosulam, Dicofof (sum of p-p' and o-p' isomers), Dicofof, Dicrotophos, Didecyldimethylammonium chloride DDAC (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8 C10 and C12), Dieldrin (Aldrin and dieldrin combined expressed as dieldrin), Diethofencarb, Difenoconazole, Difenoxuron, Difenzoquat, Diflubenzuron, Diflufenican, Dimetofen, Dimethachlor, Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers), Dimethirimol, Dimethoate, Dimethomorph (sum of isomers), Dimethylvinphos, Dimoxystrobin, Diniconazole (sum of isomers), Dinobuton, Dinotefuran, Dioxabenofos, Dioxacarb, Dioxathion, Diphenamid (aka difenamide), Diphenylamine, Diphenylsulfide, Dipropetryn, Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton), Disulfoton, Ditalimfos, Dithiopyr, Diuron, DMSA, Dodemorph, Dodine, Drazoxolon, Edifenphos, Emamectin benzoate B1a expressed as emamectin, Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan), Endrin, EPN, Epoxiconazole, EPTC (ethyl dipropylthiocarbamate), Esfenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including Fenvalerate), Etoconazole (sum of isomers), Ethalfluralin, Ethametsulfuron methyl, Ethiofencarb, Ethiofencarb-sulfone, Ethiofencarb-sulfoxide, Ethion, Ethiprole, Ethirimol, Ethofumesate (Sum of ethofumesate 2-keto-ethofumesate open-ring-2-keto-ethofumesate and its conjugate expressed as ethofumesate), Ethoprophos, Ethoxyquin, Ethoxysulfuron, Etoberanid, Etofenprox, Etoxadole, Etridiazole, Etrifimos, Famoxadone, Famphur, Fenamidone, Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos), Fenamiphos, Fenarimol, Fenazaquin, Fenbuconazole, Fenchlorazole-ethyl, Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos), Fenfluthrine, Fenfuram, Fenhexamid, Fenitrothion, Fenobucarb, Fenarimol, Fenazaquin, Fenbuconazole, Fenchlorazole-ethyl, Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos), Fenfluthrine, Fenfuram, Fenhexamid, Fenitrothion, Fenobucarb, Fenoxanil, Fenoxycarb, Fenpiclonil, Fenpropathrin, Fenpropidin (sum of fenpropidin and its salts expressed as fenpropidin), Fenpropimorph, Fenpyrazamine, Fenpyroximate, Fenson (aka fenizon), Fensulfoton (sum of Fensulfothion and 3 metabolites -oxon, -sulfone, - oxon sulfone), Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent), Fenuron, Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate), Fipronil (sum of fipronil + sulfone metabolite (MB46136) expressed as fipronil), Fipronil sulfide, Fipronil-desulfanyl, Fipronil-sulfone, Flamprop-isopropyl, Flamprop-M, Flonicamid (sum of flonicamid TFNA and TFNG expressed as flonicamid), Florasulam, Fluazuron, Fluazuron, Flubendiamide, Fluchloralin, Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers)), Fludioxonil, Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent), Flufenoxuron, Flumetralin, Flumetsulam, Flumioxazine, Fluometuron, Fluopicolide, Fluopyram, Fluoroglycofene ethyl, Fluotrimazole, Fluoxastrobilin (sum of fluoxastrobilin and its Z-isomer), Flupyradifuron, Fluquinconazole, Fluridone, Fluorochloridone, Flurprimidole, Flurtamone, Flusilazole, Fluthiacet-methyl, Flutolanil, Flutriafol, Fluxapyroxad, Folpet (sum of folpet and phtalimide expressed as folpet), Fomesafen, Fonofos, Foramsulfuron, Forchlorfenuron, Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride), Formothion, Fosthiazate, Fuberidazole, Furalaxyl, Furathiocarb, Furmecycloz, Griseofulvin, Halfenprox (aka brofenprox), Halofenozide, Halosulfuron methyl, Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor), Heptachlor-endo-epoxide, Heptachlor-exo-epoxide, Heptenophos, Hexachlorobenzene, Hexachlorocyclohexane (HCH) alpha-isomer, Hexachlorocyclohexane (HCH) beta-isomer, Hexachlorocyclohexane (HCH) d-isomer, Hexachlorocyclohexane (HCH) sum of isomers except the gamma isomer, Hexaconazole, Hexaflumuron, Hexazinone, Hexythiazox, Icaridin, Imazalil, Imazamethabenz, Imazamox (sum of imazamox and its salts, expressed as imazamox), Imazapic, Imazapyr, Imazaquin, Imazethapyr, Imibenconazole, Imidacloprid, Imiprothrin, Inabentfide, Indaziflam, Indoxacarb (sum of indoxacarb and its R enantiomer), Iodfenphos, Iodofenphos, Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl), Iaconazole, Iprobenfos, Iprodione, Iprovalicarb (sum of isomers), Isazofos, Indaziflam, Indoxacarb (sum of indoxacarb and its R enantiomer), Iodfenphos, Iodofenphos, Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl), Iaconazole, Iprobenfos, Iprodione, Iprovalicarb (sum of isomers), Isazofos, Isocarbamid, Isocarbophos (ISO: isopropyl O-(methoxyaminothiophosphoryl)salicylate), Isodrin, Isopfenphos, Isofenphos-methyl, Isoprocab, Isopropalin, Isoprothiolane, Isoproturon, Isopyrazam, Isoxaben, Isoxadifen-ethyl, Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole), Isoxathion, Ivermectin, Kresoxim-methyl, Lactofen, Lambda-Cyhalothrin, Lenacil, Leptophos, Lindane (Gamma-isomer of hexachlorocyclohexane (HCH)), Linuron, Lufenuron, Malathion (sum of malathion and malaon expressed as malathion), Mandipropamid, Mecarbam, Mefenacet, Mefenpyr-diethyl, Mefluidide, Mepanipyrim, Mephosfolan, Mepronil, Mesosulfuron-methyl, Mesotrione,

Metafumizone (sum of E- and Z- isomers), Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers)), Metalaxyl, Metamitron, Metazachlor: sum of metabolites 479M04, 479M08, 479M16, expressed as metazachlor, Metconazole (sum of isomers), Methabenzthiazuron, Methacrifos, Methamidophos, Methfuroxam, Methidathion, Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb), Methomyl, Methoprotryne, Methoxychlor, Methoxyfenozide, Metobromuron, Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers)), Metolcarb, Metosulam, Metoxuron, Metrafenone, Metribuzin, Metsulfuron-methyl, Mevinphos (sum of E- and Z-isomers), Mexacarbate, Mirex, Molinate, Monalide (sum of isomers), Monocrotophos, Monolinuron, Monuron, Myclobutanil, N,N-Dimethyl-N'-p-tolylsulphamide(DMST), Naled, Napropamide, Neburon, Nicosulfuron, Nitenpyram, Nitralin, Nitrapyrin, Nitrofen, Nitrothal-isopropyl, Norflurazon, Novaluron, N-Phenylurea, Nuarimol, Octachlorodipropyl ether (S 421), Ofurace, Omethoate, Orbencarb, Oxadiargyl, Oxadiazon, Oxadixyl, Oxamyl, Oxamyloxime, Oxfendazole, Oxycarboxin, Oxyfluorfen, Paclobutrazol, Paraoxon, Parathion, Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl), Pebulate, Penconazole, Pencycuron, Pendimethalin, Penflufen, Penfluron, Penoxsulam, Pentachloro-aniline (sum of quintozene and pentachloro-aniline expressed as quintozene), Pentachloroanisole, Pentanochlor, Penthiopyrad, Permethrin (sum of isomers), Perthan, Pethoxamid, Phenkapton, Phenmedipham, Phenothrin (phenothrin including other mixtures of constituent isomers (sum of isomers)), Phenthoate, Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate), Phorate-sulfone, Phorate-sulfoxide, Phosalone, Phosmet (phosmet and phosmet oxon expressed as phosmet), Phosphamidon (sum of isomers), Phoxim, Phthalimide (sum of folpet and phthalimide expressed as folpet), Picolinafen, Picoxystrobin, Pinoxaden, Piperonyl butoxide, Piperophos, Pirimicarb Desmethyl, Pirimicarb, Pirimicarb-desmethyl-formamido, Pirimiphos-ethyl, Pirimiphos-methyl, Pretilachlor, Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz), Procymidone, Profenofos, Profluralin, Profoxydim (sum of isomers), Promecarb, Prometon, Prometryn, Propachlor: oxalinic derivate of propachlor expressed as propachlor, Propamocarb (sum of propamocarb and its salts expressed as propamocarb), Propanil, Propaquizafop, Propargite, Propazine, Propetamphos, Propham, Propiconazole (sum of isomers), Propoxur, Propoxycarbazone, Propyzamide, Proquinazid, Prosulfocarb, Prothioconazole: prothioconazole-deshio (sum of isomers), Prothiofos (Tokuthion), Pymetrozine, Pyracarbolid, Pyraclostrobin, Pyrazophos, Pyrethrins (I&II), Pyributicarb, Pyridaben, Pyridalyl, Pyridaphenthion, Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate), Pyridate degradation, Pyrifenoxy (sum of isomers), Pyrifitalid, Pyrimethanil, Pyrimidifen, Pyriminobac methyl, pyriofenone, Pyriproxyfen, Pyriothiobacodium, Pyroquilon, Pyroxsulam, Quinalphos, Quinoclamine, Quinoxyfen, Quintozene (sum of quitozene and pentachloro-aniline expressed as quitozene), Rabenzazole, Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers)), Rimsulfuron, Rotenone, Saflufenil, Sebuthylazine, Sedaxane, Sethoxydim(sumofisomers), Siduron(sumofisomers), Silafluofen, Silthiofam, Simazine, Simeconazole, Simetryn, Spinetoram (XDE-175), Spinosad (spinosad sum of spinosyn A and spinosyn D), Spirodiclofen, Sethoxydim(sumofisomers), Siduron(sumofisomers), Silafluofen, Silthiofam, Simazine, Simeconazole, Simetryn, Spinetoram (XDE-175), Spinosad (spinosad sum of spinosyn A and spinosyn D), Spirodiclofen, Spiromesifen, Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330-enol-glucoside, expressed as spirotetramat, Spiroxamine (sum of isomers), Sulfentrazon, Sulfotep, Sulfoxaflor (sum of isomers), Sulprofos, Tau-Fluvalinate, TCMTB, Tebuconazole, Tebufenozide, Tebufenpyrad, Tebupirimphos, Tebutam (aka butam), Tebuthiuron, Tecnazene, Teflubenzuron, Tefluthrin, Temephos, TEPP, Tepraloxymid (sum of tepraloxymid and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxymid), Terbacil, Terbufos, Terbufos-sulfon, Terbufos-sulfoxid, Terbumeton, Terbutylazine, Terbutryn, Tetrachlorvinphos, Tetraconazole, Tetradifon, Tetrahydrophthalimide (THPI) deg Captan, Tetramethrin (I&II), Tetrasul, Thenylchlor, Thiabendazole, Thiocloprid, Thiamethoxam, Thiazafuron, Thiazopyr, Thidiazuron, Thifensulfuron-methyl, Thiobencarb (4-chlorobenzyl methyl sulfone), Thiodicarb, Thiofanox, Thiofanoxsulfone, Thiofanoxsulfoxide, Thiometon, Thiometon sulfone, Thiometon sulfoxide, Thionazin, Thiophanate (ethyl), Thiophanate-methyl, Tolclofos-methyl, Tolfenpyrad, Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid), Tralkoxydim (sum of the constituent isomers of tralkoxydim), Transfluthrin, Triadimefon, Triadimenol (sum), Tri-allate, Triasulfuron, Triazamate, Triazophos, Tribenuron-methyl, Tribufos (s, s, s-tributyl-phosphorotrithioate), Trichlorfon, Trichloronat, Tricyclazole, Tridemorph, Trietazine, Trifloxystrobin, Trifloxysulfuron, Triflumizole: Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamide), expressed as Triflumizole, Triflururon, Trifluralin, Triflusulfuron, Triforine (sum of isomers), Trimethacarb (2.3.5), Triticonazole, Tritosulfuron, Uniconazole, Vamidothion sulfone, Vamidothion sulfoxide, Vamidothion, Vernolate, Vinclozolin, Warfarin, XMC (I & II), Zoxamide.

Dithiocarbamates (as CS2) with GC/FPD-S (6 active ingredients)

- Μέθοδος ανάλυσης /Method of analysis: ANDRE DE KOK ETAL,6TH EUROPEAN PESTICIDE RESIDUE WORKSHOP (2006) with GC/FPD-S (modified), O.B.02.022.
- Οι παρακάτω δραστικές αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following active ingredients were analyzed with the above mentioned methods
- Τα Όρια Αναφοράς είναι 0,01 mg/Kg (ppm), σύνολο εκφρασμένο ως CS2 / The Reporting Limit of the method is 0,01 mg/Kg (ppm), sum expressed as CS2

Mancozeb, Propineb, Maneb, Metiram, Thiram, Ziram

Advice based on: EU MRLs & EFSA ARfDs

Retailer	MRL % AS	MRL % SUM	ARFD % AS	ARFD % SUM	No of substances	Black List
REWE	1x > 50,00%	> 100,00%	ok	n.a.	n.a.	ok

REWE: Sample is not compliant with internal requirements

1. The evaluation of the results is referring to the scope of analysis that agreed with the client
2. The evaluation of the results is not a part of company's scope of accreditation
3. The data are considered as from 01.06.2017 and up to date company's knowledge, as far as the internal requirements of the retailers are concerned
4. The evaluation of the results is given only for informative reason and the company does not accept any legal responsibility